# **NOTICE**

All drawings located at the end of the document.



# Data Summary Report IHSS Group 900-4&5



DOCUMENT CLASSIFICATION
REVIEW WAIVER PER
CLASSIFICATION OFFICE

CEX-105-61

**July 2003** 

# Data Summary Report IHSS Group 900-4&5

Approval letter received from the Colorado Department of Public Health and Environment (

Approval letter contained in the Administrative Record

# TABLE OF CONTENTS

1.0	Introduct	ion	1
2.0		racterization	
3.0	Deviation	ns From Planned Sampling Specifications	13
4.0		ality Assessment	
		Data Quality Assessment Process	
	4.1.2	Verification and Validation of Results	15
	4.1.3	Accuracy	16
		Precision	
	4.1.5	Completeness	23
		Sensitivity	
		Summary of Data Quality	
5.0	Reference	es	25
		LIST OF FIGURES	
Figu	re 1 Loca	tion Map - PAC 900-175	2
Figu	re 2 Soil l	Results Greater Than Background Mean Plus Two Standard Deviations or	
	Re	porting/Detection Limits	3
		LIST OF TABLES	
Tab	le 1 PAC !	900-175 –Characterization Sampling Specifications	4
Tab	le 2 PAC !	900-175 – Surface Soil Greater than Background Mean Plus Two Standard	_
	De	viations or Reporting/Detection Limits	د
Tab	le 3 PAC 9	900-175 - Summary of Analytical Results	8 12
Tab	le 4 PAC	900-175 - Deviations from Planned Sampling Specifications	13 17
Tab.	le 5 Labor	atory Control Sample Evaluation	۱ ۱ ی
Tab.	le o Surro	gate Recovery SummaryBlank Summary	10 10
Tab	le 8 Samn	le Matrix Spike Evaluation	20
Tab	le 9 Samp	le Matrix Spike Duplicate Evaluation	21
Tab	le 10 Field	I Duplicate Sample Frequency	22
Tab	le 11 RPD	Evaluation	22
Tab	le 12 Vali	dation and Verification Summary	24
		APPENDIX	
App	endix A	IHSS Group 900-4&5 Wildlife Refuge Worker/Ecological Receptor Action Level Comparison Table	n
		ENCLOSURE	
Rea	l and QC	Data (compact disc)	

#### ACRONYMS AND ABBREVIATIONS

AL action level

AR Administrative Record

CDPHE Colorado Department of Public Health and Environment

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

DL Detection Limit

DOE U.S. Department of Energy DQA Data Quality Assessment DQO Data Quality Objective

EPA U.S. Environmental Protection Agency

HRR Historical Release Report

IA Industrial Area

IASAP Industrial Area Sampling and Analysis Plan IHSS Individual Hazardous Substance Site

K-H Kaiser-Hill Company L.L.C.

MARSSIM Multi-Agency Radiation Survey and Site Investigation Manual

DL detection limit

mg/kg milligram per kilogram

NA not available ND not detected

NFAA No Further Accelerated Action

PAC Potential Area of Concern

PARCCS precision, accuracy, representativeness, completeness, comparability, and

sensitivity

pCi/g picocurie per gram QC quality control

RCRA Resource Conservation and Recovery Act

RFCA Rocky Flats Cleanup Agreement

RFETS Rocky Flats Environmental Technology Site

RIN report identification number

RL reporting limit

SAP Sampling and Analysis Plan

SD standard deviation SOR sum of ratio

SSRS Subsurface Soil Risk Screen
SVOC semi-volatile organic compound

SWS Surface Water Standard

µg/kg microgram per kilogram

VOC volatile organic compound

V&V verification and validation

WRW Wildlife Refuge Worker

#### 1.0 INTRODUCTION

This Data Summary Report summarizes characterization activities conducted at Individual Hazardous Substance Site (IHSS) Group 900-4&5 at the Rocky Flats Environmental Technology Site (RFETS) in Golden, Colorado. Characterization activities were planned and executed in accordance with the Industrial Area Sampling and Analysis Plan (IASAP) (DOE 2001) and IASAP Addendum #IA-02-02 (DOE 2002a).

IHSS Group 900-4&5 consists of Potential Area of Concern (PAC) 900-175, S&W Building 980 Contractor Storage Facility and PAC 900-1308, Gasoline Spill Outside of Building 980. PAC 900-1308 received a No Further Action (NFA) determination on February 14, 2002 and consequently is not included in this report. The location of PAC 900-175 is shown on Figure 1.

#### 2.0 SITE CHARACTERIZATION

IHSS Group 900-4&5 information consists of historical knowledge (DOE 1992-2001), previous sampling data from nine sampling locations (DOE 2002a), and six additional surface soil sampling locations with specifications as described in IASAP Addendum #IA-02-02 (DOE 2002a). The sampling specifications from IASAP Addendum #IA-02-02 are listed in Table 1. The location of these samples and analytical results greater than background mean plus two standard deviations or reporting/detection limits are presented in Figure 2 and Table 2. A summary of the analytical results is presented in Table 3. Deviations from planned sampling specifications are presented in Table 4. Validated analytical records are presented in Tables 5 through 12. The real and quality control (QC) data are enclosed on a compact disc.

Analytical results from the previous and the most recent sampling events indicate that all contaminant concentrations are less than RFCA Tier II and Wildlife Refuge Worker (WRW) action levels (ALs). Lead is the only contaminant that exceeds the Ecological Receptor AL; however, all of these results are below the background level. A comparison of the most recent analytical results above background mean plus two standard deviations or detection/reporting limits to the WRW and Ecological Receptor ALs is presented in Appendix A.

Analytical results indicated that No Further Accelerated Action (NFAA) for IHSS Group 900-4&5 is warranted for the following reasons:

- All contaminant concentrations are less than WRW ALs.
- All contaminant concentrations are less than Ecological Receptor ALs except for lead. However, all lead results are below the background level of 54.62 mg/kg. The Ecological Receptor AL for lead is 25.6 mg/kg.
- Based on the analytical results and the distance to the near surface water body, this IHSS Group does not appear to have adversely impacted surface water.

Based on historical knowledge and previous sampling data, subsurface soil sampling was deemed unnecessary and was not evaluated per IASAP Addendum IA#-02-02 (DOE 2002a). Consequently, a Subsurface Soil Risk Screen (SSRS) is not required.

Approval of this Data Summary Report constitutes regulatory agency concurrence of this IHSS Group as an NFAA. This information and NFAA determination will be documented in the FY03 Historical Release Report (HRR).

Table 1
PAC 900-175 – Characterization Sampling Specifications

IHSS Group	IHSS/PAC/UBC Site	Location Code	Easting	Northing	Media	Depth Interval	Analyte	Laboratory Method
900-4&5	IHSS 900-175, S&W Building 980	CL43-002	2084965.91	750060.59	surface soil	Ą	metals	0109
	Contractor Storage Facility						radionuclides	HPGe
							SVOCs	8270
							nitrite/nitrate	9056
		CK43-002	2084929.95	750062.37	surface soil	A	metals	0109
							radionuclides	HPGe
							SVOCs	8270
							nitrite/nitrate	9026
		CK43-001	2084894	750064.16	surface soil	Y	metals	6010
							radionuclides	HPGe
							SVOCs	8270
							nitrite/nitrate	9026
		CL43-001	2084985.43	750090.83	surface soil	A	metals	0109
							radionuclides	HPGe
							SVOCs	8270
							nitrite/nitrate	9506
		CL43-000	2084949.48	750092.62	surface soil	A	metals	6010
							radionuclides	HPGe
							SVOCs	8270
							nitrite/nitrate	9506
		CK43-000	2084913.52	750094.40	surface soil	Ą	metals	0109
							radionuclides	HPGe
							SVOCs	8270
						-	nitrite/nitrate	9026

Table 2

			The state of the s									
IHSS/PAC/ UBC	Location Code	Easting	Northing	Analyte	Depth Start	Depth End	Result	Reporting/ Detection	Tier I Action	Tier II Action	Background Mean	Unit
Site					(feet)	(feet)		Limit	Level	Level	+2SD	
900-175	CK43-000	2084949.95	750075.39	Benzo(a)anthracene	0	0.5	001	40	000119	0+19	VV	ug/kg
900-175	CK43-000	2084949.95	750075.39	Benzo(a)pyrene	0	0.5	140	97	61400	614	NA	ug/kg
900-175	CK43-000	2084949.95	750075.39	Benzo(b)fluoranthene	0	0.5	130	001	614000	6140	NA	ug/kg
900-175	CK43-000	2084949.95	750075.39	Benzo(k)Fluoranthene	0	0.5	150	96	6140000	61400	NA	ug/kg
900-175	CK43-000	2084949.95	750075.39	Bis(2-ethylhexyl)phthalate	0	0.5	82	117	32000000	320000	NA	ug/kg
900-175	CK43-000	2084949.95	750075.39	Chromium	0	0.5	901	0.36	44300	4410	16.99	mg/kg
900-175	CK43-000	2084949.95	750075.39	Chrysene	0	0.5	150	55	61400000	614000	NA	ug/kg
900-175	CK43-000	2084949.95	750075.39	Copper	0	0.5	31.9	0.19	71100	71100	18.06	mg/kg
900-175	CK43-000	2084949.95	750075.39	Fluoranthene	0	0.5	330	87	76800000	76800000	AN	ug/kg
900-175	CK43-000	2084949.95	750075.39	Indeno(1,2,3-cd)pyrene	0	0.5	73	49	614000	6140	NA	ug/kg
900-175	CK43-000	2084949.95	750075.39	Nickel	0	0.5	67.9	0.44	38400	38400	14.91	mg/kg
900-175	CK43-000	2084949.95	750075.39	Pyrene	0	0.5	290	41	57600000	57600000	NA	ug/kg
521-006	CK43-000	2084949.95	750075.39	Zinc	0	0.5	171	0.59	576000	576000	73.76	mg/kg
900-175	CK43-001	2084913.40	750094.41	Benzo(a)anthracene	0	0.5	. 081	41	614000	6140	NA	ug/kg
900-175	CK43-001	2084913.40	750094.41	Benzo(a)pyrene	0	0.5	230	66	61400	614	NA	ug/kg
900-175	CK43-001	2084913.40	750094.41	Benzo(b)fluoranthene	0	0.5	240	110	614000	6140	AN	ug/kg
900-175	CK43-001	2084913.40	750094.41	Benzo(k)Fluoranthene	0	0.5	230	86	6140000	61400	NA	ug/kg
900-175	CK43-001	2084913.40	750094.41	Bis(2-ethylhexyl)phthalate	0	0.5	75	73	32000000	320000	NA	ug/kg
900-175	CK43-001	2084913.40	750094.41	Chromium	0	0.5	40.3	0.35	44300	4410	16.99	mg/kg
900-175	CK43-001	2084913.40	750094.41	Chrysene	0	0.5	260	56	61400000	614000	NA	ug/kg
521-006	CK43-001	2084913.40	750094.41	Copper	0	0.5	28.1	0.18	71100	71100	18.06	mg/kg
521-006	CK43-001	2084913.40	750094.41	Dimethly phthalate	0	0.5	110	68	10000000000	0000000001	NA	ug/kg
900-175	CK43-001	2084913.40	750094.41	Fluoranthene	0	0.5	550	88	76800000	76800000	NA	ug/kg
900-175	CK43-001	2084913.40	750094.41	Indeno(1,2,3-cd)pyrene	0	0.5	150	50	614000	6140	NA	ug/kg
900-175	CK43-001	2084913.40	750094.41	Nickel	0	0.5	30.5	0.43	38400	38400	14.91	ıng/kg
900-175	CK43-001	2084913.40	750094.41	Pyrene	0	0.5	470	42	27600000	27600000	AN	ug/kg
900-175	CK43-001	2084913.40	750094.41	Zinc	0	0.5	6.96	0.57	576000	576000	73.76	mg/kg
900-175	CK43-002	2084894.08	750064.21	Benzo(a)anthracene	0	0.5	210	40	614000	6140	AN	110/kg

Table 2

IHSS/PAC/ UBC Site	Location   Code	Easting	Northing	Analyte Depth Depth Result Reporting/ Tier I Tier II Background Unit Start End Detection Action Mean (feet) (feet) Level Level +2SD	Depth Start (feet)	Depth End (feet)	Result	Result Reporting/ Detection Limit	Tier I Action Level	Tier II Action Level	Background Mean +2SD	Unit
900-175	CK43-002	2084894.08	750064.21	Benzo(a)pyrene	0	5.0	240	96	61400	614	AN	ug/kg
900-175	CK43-002	2084894.08	750064.21	Benzo(b)fluoranthene	0	0.5	230	100	614000	6140	NA	ug/kg
900-175	CK43-002	2084894.08	750064.21	Benzo (K) Fluoranthene	0	0.5	240	9.5	6140000	61400	AZ	ug/kg
900-175	CK43-002	2084894.08	750064.21	Bis(2-ethylhexyl)phthalate	0	0.5	310	70	32000000	320000	AN	ug/kg
900-175	CK43-002	2084894.08	750064.21	Chromium	0	0.5	102	0.36	44300	4410	16.99	mg/kg
900-175	CK43-002	2084894.08	750064.21	Chrysene	0	0.5	260	54	61400000	614000	NA	ug/kg
900-175	CK43-002	2084894.08	750064.21	Copper	0	0.5	74.4	0.18	71100	71100	18.06	mg/kg
900-175	CK43-002	2084894.08	750064.21	Dibenz(a,h)anthracene	0	0.5	64	48	61400	614	AN	ug/kg
900-175	CK43-002	2084894.08	750064.21	Dimethly phthalate	0	0.5	320	98	10000000000	10000000000	NA	ug/kg
900-175	CK43-002	2084894.08	750064.21	Fluoranthene	0	0.5	540	85	76800000	76800000	NA	ug/kg
900-175	CK43-002	2084894.08	750064.21	Indeno(1,2,3-cd)pyrene	0	0.5	091	46	614000	6140	AN	ug/kg
900-175	CK43-002	2084894.08	750064.21	Nickel	0	0.5	69.3	0.44	38400	38400	14.91	mg/kg
900-175	CK43-002	2084894.078	750064.21	Pyrene	0	0.5	500	41	57600000	27600000	AN	ug/kg
900-175	CK43-002	2084894.078	750064.21	Zinc	0	0.5	172	0.58	576000	576000	73.76	mg/kg
521-006	CL43-000	2084913.25	750078.42	Benzo(a)anthracene	0	0.5	44	40	614000	6140	NA	ug/kg
521-006	CL43-000	2084913.25	750078.42	Bis(2-ethylhexyl)phthalate	0	0.5	9200	140	32000000	320000	AN	ug/kg
900-175	CL43-000	2084913.25	750078.42	Chromium	О	0.5	34.4	0.35	44300	4410	16.99	mg/kg
900-175	CL43-000	2084913.25	750078.42	Chrysene	0	0.5	58	54	61400000	614000	AN	ug/kg
900-175	CL43-000	2084913.25	750078.42	Copper	С	0.5	19.5	0.18	71100	71100	18.06	mg/kg
900-175	CL43-000	2084913.25	750078.42	Fluoranthene	0	0.5	120	98	76800000	76800000	AN	ug/kg
521-006	CL43-000	2084913.25	750078.42	Nickel	0	0.5	20.2	0.43	38400	38400	14.91	mg/kg
900-175	CL43-000	2084913.25	750078.42	Pyrene	0	0.5	001	41	57600000	57600000	NA	ug/kg
900-175	CL43-000	2084913.25	750078.42	Pyrene	0	0.5	001	82	57600000	27600000	NA	ug/kg
900-175	CL43-000	2084913.25	750078.42	Zinc	0	0.5	9.08	0.57	576000	276000	73.76	mg/kg
900-175	CL43-001	2084949.49	750092.67	Benzo(a)anthracene	0	0.5	310	39	614000	6140	AN.	ug/kg
900-175	CL43-001	2084949.49	750092.67	Benzo(a)pyrene	0	0.5	270	95	61400	614	AN	ug/kg
900-175	CL43-001	2084949.49	750092.67	Benzo(b)fluoranthene	0	0.5	240	001	614000	6140	AN	ug/kg
900-175	CL43-001	2084949.49	750092.67	Benzo (K) Fluoranthene	0	0.5	290	94	6140000	61400	NA	ug/kg
The second secon												

Table 2

IHSS/PAC	IHSS/PAC/ Location	Easting	Northing	Analyte Depth Depth Result Reporting Tier I Tier II Background Unit	Depth	Depth	Result	Result Reporting/	Tier I	Tier II	Background	Unit
UBC Site	Code				Start (feet)	End (feet)		Detection Limit	Action Level	Action Level	Mean +2SD	
900-175	CL43-001	2084949.48	750092.62	Bis(2-ethylhexyl)phthalate	0	0.5	100	70	32000000	320000	AN	ug/kg
900-175	CL43-001	2084949.48	750092.62	Chromium	0	0.5	114	0.35	44300	4410	16.99	mg/kg
900-175	CL43-001	2084949.48	750092.62	Chrysene	0	0.5	390	54	61400000	614000	AN	ug/kg
900-175	CL43-001	2084949.48	750092.62	Copper	0	0.5	36.6	0.18	71100	71100	18.06	mg/kg
900-175	CL43-001	2084949.48	750092.62	Fluoranthene	0	0.5	069	85	76800000	76800000	NA	ug/kg
900-175	CL43-001	2084949.48	750092.62	Indeno(1,2,3-cd)pyrene	0	0.5	150	49	614000	6140	AN	ug/kg
900-175	CL43-001	2084949.48	750092.62	Iron	0	0.5	18900	1.6	576000	916000	18037	mg/kg
900-175	CL43-001	2084949.48	750092.62	Lithium	0	0.5	9.11	0.24	38400	38400	11.55	mg/kg
900-175	CL43-001	2084949.48	750092.62	Nickel	0	0.5	69.7	0.43	38400	38400	14.91	mg/kg
900-175	CL43-001	2084949.48	750092.62	Pyrene	0	0.5	069	40	57600000	57600000	AN	ug/kg
900-175	CL43-001	2084949.48	750092.62	Zinc	0	0.5	80.5	0.58	576000	576000	73.76	mg/kg
900-175	CL43-002	2084985.46	750090.89	Benzo(a)anthracene	0	0.5	160	14	614000	6140	AN	ug/kg
900-175	CL43-002	2084985.46	750090.89	Benzo(a)pyrene	0	0.5	190	86	61400	614	Ϋ́	ug/kg
900-175	CL43-002	2084985.46	750090.89	Benzo(b)fluoranthene	0	0.5	170	100	614000	6140	AN	ug/kg
900-175	CL43-002	2084985.46	750090.89	Benzo (K) Fluoranthene	0	0.5	200	97	6140000	61400	ΑZ	ug/kg
900-175	CL43-002	2084985.46	750090.89	Bis(2-ethylhexyl)phthalate	0	0.5	0091	71	32000000	320000	NA	ug/kg
900-175	CL43-002	2084985.46	750090.89	Chromium	0	0.5	28.2	0.36	44300	4410	16.99	mg/kg
900-175	CL43-002	2084985.46	750090.89	Chrysene	0	0.5	210	55	61400000	614000	NA	ug/kg
900-175	CL43-002	2084985.46	750090.89	Copper	0	0.5	31.5	0.19	71100	71100	18.06	mg/kg
900-175	CL43-002	2084985.46	750090.89	Fluoranthene	0	0.5	440	87	76800000	76800000	NA	ug/kg
900-175	CL43-002	2084985.46		Indeno(1,2,3-cd)pyrene	0	0.5	011	20	614000	6140	AN	ug/kg
900-175	CL43-002	2084985.46	750090.89	Lithium	0	0.5	8.11	0.25	38400	38400	11.55	mg/kg
900-175	CL43-002	2084985.46		Nickel	0	0.5	23.8	0.45	38400	38400	14.91	mg/kg
900-175	CL43-002	2084985.46	750090.89	Pyrene	0	0.5	450	42	57600000	57600000	AN	ug/kg
900-175	CL43-002	2084985.46	750090.89	Strontium	0	0.5	63.2	0.016	0000001	1000000	48.94	mg/kg
A N	+ ampilohla											

NA = not available SD = standard deviation

SERVER PROPERTY AND A SERVER AN		FAC 900-1	umns - c/	nary of An	FAC 900-1/5 - Summary of Analytical Kesults	Its		
Analyte	Total Count	Detection Frequency (percent)	Average Result	Maximum Result	Background Mean+2SD	Wildlife Refuge Worker Action Level	Ecological Receptor Action	Unit
1,2,4-Trichlorobenzene	7	00.00	387.14	029	NA	9230000		UG/KG
1,2-Dichlorobenzene	7	00.00	387.14	029	AN	31200000	1	UG/KG
1,4-Dichlorobenzene	7	0.00	387.14	029	AN	840000	1	UG/KG
2,4,5-Trichlorophenol	7	00.00	387.14	029	NA	102000000		UG/KG
2,4,6-Trichlorophenol	7	00.00	387.14	029	AN	3470000		UG/KG
2,4-Dichlorophenol	7	00.00	387.14	029	NA	3070000	***************************************	UG/KG
2,4-Dimethylphenol	7	00'0	387.14	029	AN	20400000	*******	UG/KG
2,4-Dinitrophenol	7	0.00	1871.43	3300	NA	2040000		UG/KG
2,4-Dinitrotoluene	7	0.00	387.14	029	ΑN	56300		UG/KG
2,6-Dinitrotoluene	7	0.00	387.14	029	AN	56300	and the second s	UG/KG
2-Chloronaphthalene	7	0.00	387.14	. 029	AN	81800000		UG/KG
2-Chlorophenol	7	0.00	387.14	029	AN	5110000		UG/KG
2-Methylnaphthalene	7	0.00	387.14	029	AN	20400000	4	UG/KG
2-Methylphenol	7	0.00	387.14	670	AN	36900000		UG/KG
2-Nitroaniline	7	0.00	1871.43	3300	NA	16700000		UG/KG
3,3'-Dichlorobenzidine	7	0.00	1514.29	2600	AN	61300		UG/KG
3-Nitroaniline	7	0.00	1871.43	3300	AN			UG/KG
4,6-Dinitro-2-Methylphenol	7	0.00	1871.43	3300	AN	1020000	1	UG/KG
4-Bromophenyl Phenyl Ether	7	0.00	387.14	029	AN			UG/KG
4-Chloro-3-Methylphenol	7	0.00	387.14	029	AN	*****	****	UG/KG
4-Chloroaniline	7	0.00	387.14	029	NA	2950000		UG/KG
4-Chlorophenyl-Phenyl Ether	7	00.00	387.14	029	NA			UG/KG
4-Methylphenol	7	0.00	387.14	029	NA	3690000		UG/KG
4-Nitrophenol	7	0.00	1871.43	3300	NA	8180000	-	UG/KG
Actinium-228	∞	100.00	1.60	2.28	AN	***************************************		PCI/G
Acenaphthene	7	0.00	387.14	029	NA	40800000	4	UG/KG
Acenaphthylene	7	0.00	387.14	029	NA			UG/KG
				-			┥.	

Table 3
PAC 900-175 - Summary of Analytical Results

		rac ywe.	IIIIne - c/	lary or An	rAC 200-173 - Summary Of Analytical Results	IIIS		
Analyte	Lotal	Detection Frequency	Average Result	Maximum Result	Background Mean+2SD	Wildlife Refuge Worker Action	Ecological Receptor Action	Unit
		(percent)			20.00	Level	Level	
Aluminum	9	00.0	11291.67	14600	16902.00	228000	-	MG/KG
Americium-241	8	00.00	0.96	1.23	0.02	76	0061	PCI/G
Anthracene		0.00	387.14	029	NA	204000000		UG/KG
Antimony	9	50.00	1.48	3.9	NA	409	and the same of th	MG/KG
Arsenic	9	0.00	3.70	4.6	10.09	22.2	21.6	MG/KG
Barium	9	0.00	82.88	95.7	141.26	26400		MG/KG
Benzo(a)anthracene	7	85.71	239.14	029	NA	34900	800000	UG/KG
Benzo(a)pyrene	7	71.43	297.14	029	NA	3490	25700	UG/KG
Benzo(b)fluoranthene	7	71.43	288.57	029	NA	34900	1010000	UG/KG
Benzo(g,h,i)perylene	7	71.43	249.43	029	NA			UG/KG
Benzo(k)fluoranthene	7	71.43	302.86	029	NA	349000	1010000	UG/KG
Benzoic Acid	7	0.00	1871.43	3300	NA	10000000000		UG/KG
Benzyl Alcohol	7	0.00	387.14	029	NA	307000000	The state of the s	UG/KG
Beryllium	9	0.00	0.38	0.46	76.0	921	2.15	MG/KG
Bismuth-212	8	75.00	1.48	2.31	NA		***************************************	PCI/G
Bismuth-214	8	100.00	0.65	1	NA			PCI/G
Bis(2-Chloroethoxy) Methane	7	0.00	387.14	029	NA		-	UG/KG
Bis(2-Chloroethy1)Ether	7	0.00	387.14	029	AN	34800		UG/KG
Bis(2-Chloroisopropyl)Ether	7	0.00	387.14	029	NA	547000		UG/KG
Bis(2-Ethylhexyl)Phthalate	7	100.00	2548.14	0026	NA	1970000		UG/KG
Boron	9	83.33	2.22	4.6	NA	1		MG/KG
Butylbenzylphthalate	7	0.00	387.14	029	NA	147000000		UG/KG
Cadmium	9	0.00	0.27	0.85	19.1	962	Parameter and the second secon	MG/KG
Calcium	9	50.00	18968.33	47300	4467.00		-	MG/KG
Chromium VI	9	100.00	70.82	114	16.99	268	-	MG/KG
Chrysene	7	85.71	285.43	670	AN	3490000	-	UG/KG
Cobalt	9	0.00	4.60	5.8	10.91	1550	_	MG/KG
Copper	9	100.00	37.00	74.4	18.06	40900	-	MG/KG

DAC 900-175 - Summary of Analytical Recults Table 3

Analyte	Total	Detection   Average   Maximum Background   W	Average	Maximum	Background	Wildlife Refuge	Ecological	Unit
	Count	Frequency   (percent)	Result	Result	Mean+2SD	Worker Action Level	Receptor Action Level	
Cesium-137	8	0.00	60:0	0.12	1.68			PCI/G
Dibenz(a,h)anthracene	7	14.29	347.71	029	NA	3490	***************************************	UG/KG
Dibenzofuran	7	00.00	387.14	670	NA	2950000	-	UG/KG
Diethylphthalate	7	00.00	767.14	1300	AN	2900000000		UG/KG
Dimethylphthalate	7	28.57	350.00	029	AN	1000000000		UG/KG
Di-n-butylphthalate	7	14.29	357.14	029	AN	73700000		UG/KG
Di-n-octylphthalate	7	00.00	387.14	029	NA	14700000		UG/KG
Fluoranthene	7	85.71	477.14	069	ΥN	27200000	appara	UG/KG
Fluorene	7	00.00	387.14	029	NA	40800000	and the second s	UG/KG
Hexachlorobenzene	7	00.0	387.14	029	NA	17200		UG/KG
Hexachlorobutadiene	7	00.00	387.14	029	AN	147000		UG/KG
Hexachlorocyclopentadiene	7	00.00	767.14	1300	AN	3500000		UG/KG
Hexachloroethane	7	00.00	387.14	029	AN	737000	1990000	UG/KG
Indeno(1,2,3-cd)pyrene	7	71.43	236.14	029	NA	34900	***************************************	UG/KG
Iron	9	16.67	15600.00	18900	18037.00	307000	***************************************	MG/KG
Isophorone	7	00.00	387.14	029	AN	29100000		UG/KG
Potassium-40	8	100:00	22.35	29	AN		THE PARTY OF THE P	PCI/G
Lead	9	00.0	26.63	40.2	54.62	1000	25.6	MG/KG
Lithium	9	16.67	10.22	11.6	11.55	20400		MG/KG
Magnesium	9	16.67	2540.00	3000	2849.30	minutes of the state of the sta	-	MG/KG
Manganese	9	00'0	184.50	269	365.08	3480		MG/KG
m-Dichlorobenzene	7	00.0	387.14	029	NA		ARTICLE STATE OF THE PARTY OF T	UG/KG
Mercury	9	00'0	0.02	0.04	0.13	25200		MG/KG
Molybdenum	9	100.00	1.63	2.4	AN	5110		MG/KG
Naphthalene	7	00.0	387.14	029	NA	3090000		UG/KG
Nickel	9	100.00	46.90	2.69	14.91	20400		MG/KG
Nitrate	9	100.00	3.62	11.1	AN	1000000		MG/KG
Nitrite	9	83.33	2.00	5.1	AN	102000	****	MG/KG

Table 3
PAC 900-175 - Summary of Analytical Results

	Total Count	Detection Frequency	Average Result	Maximum Result	Background Mean+2SD	Wildlife Refuge Worker Action	Ecological Receptor Action	Unit
		(percent)				Level	Level	
Nitrobenzene	7	00.00	387.14	029	NA	332000		UG/KG
N-Nitrosodiphenylamine	7	0.00	387.14	029	NA	7810000		UG/KG
N-Nitrosodipropylamine	7	00.00	387.14	029	NA	5470		UG/KG
O-Nitrophenol	7	00.00	387.14	029	NA			UG/KG
Protactinium-234	~	0.00	0.35	0.44	NA			PCI/G
Protactinium-234m	~	00.00	9.33	13	NA			PCI/G
Lead-212	∞	100.00	1.52	2.03	NA			PCI/G
Lead-214	∞	100.00	0.72	06.0	NA			PCI/G
Pentachlorophenol	7	00.0	1871.43	3300	NA	162000		UG/KG
Phenanthrene	7	85.71	258.57	670	NA			UG/KG
Phenanthrene, 1-Methyl-	_	0.00	550.00	550	AN			UG/KG
Phenol	7	0.00	387.14	029	AN	613000000		UG/KG
Plutonium-239/340	8	0.00	10.99	13.18	0.07	50	3800	PCI/G
P-Nitroaniline	7	0.00	1871.43	3300	NA		1	UG/KG
Polonium-210	8	0.00	7571.75	8780	AN			PCI/G
Potassium	9	00.00	2436.67	2760	2967.20		1	MG/KG
Pyrene	7	100.00	371.43	069	NA	22100000		UG/KG
Radium-226	8	50.00	2.44	3.64	0.93	and the second s		PCI/G
Selenium	9	0.00	0.46	99.0	1.22	5110		MG/KG
Silica As Sio2, Dissolved	9	100.00	405.83	460	NA			MG/KG
Silver	9	00.00	0.07	0.07	AN	5110	AND THE PROPERTY OF THE PROPER	MG/KG
Sodium	9	0.00	152.67	156	91.84			MG/KG
Strontium	9	16.67	30.12	51.4	48.94	613000		MG/KG
Thorium-230	8	00.0	58.29	73.2	< Z	disperse	-	PCI/G
Thorium-231	8	0.00	1.69	2.4	ΥN		And the state of t	PCI/G
Thallium	9	29.99	0.69	0.93	AN			MG/KG
Tin	9	100.00	1.70	2.3	AN	613000		MG/KG
Titanium	9	100.00	235.92	342	NA			MG/KG

Table 3

		TOOLOGIA		In J Or LEE	attactor its community of things dead recorded	IIC		
Analyte	Total Count	Detection Frequency (percent)	Average Result	Maximum Result	Maximum Background Result Mean+2SD	Wildlife Refuge Worker Action Level	Ecological Receptor Action Level	Unit
Thallium-208	∞	100.00	0.54	0.70	AN		and the state of t	PCI/G
Uranium (total)	9	0.00	5.70	5.8	NA			MG/KG
Uranium-235	∞	25.00	0.15	0.22	60.0	8	1900	PCI/G
Uranium-238	8	37.50	2.03	3.57	2.00	351	1600	PCI/G
Vanadium	9	0.00	27.03	30.4	45.59	7150	433	MG/KG
Zinc	9	83.33	111.12	172	73.76	307000		MG/KG

SD = standard deviation NA = not available

## 3.0 DEVIATIONS FROM PLANNED SAMPLING SPECIFICATIONS

Deviations from the planned sampling specifications described in IASAP Addendum #IA-02-02 (DOE 2002a) are presented in the following table.

Table 4
PAC 900-175 - Deviations from Planned Sampling Specifications

Sampling Location Code	Planned Easting	Planned Northing	Actual Easting	Actual Northing	Comments
CL43-0002	2084965.91	750060.59	2084985.46	750090.89	All sample location deviations
CK43-0002	2084929.95	750062.37	2084894.08	750064.21	resulted from utilities,
CL43-0001	2084985.43	750090.83	2084949.48	750092.62	structures, or auger refusal.
CL43-0000	2084949.48	750092.62	2084913.24	750078.42	
CK43-0000	2084913.52	750094.40	2084949.95	750075.39	1
		La	1		· ·

### 4.0 DATA QUALITY ASSESSMENT

The Data Quality Objectives (DQOs) for this project, as defined in the IASAP (DOE 2001), were achieved based on the Data Quality Assessment (DQA) provided in the following sections. The DQO/DQA process ensures that the type, quantity, and quality of environmental data used in decision making are defensible, with emphasis on attaining adequate (statistical) confidence in the decisions. The DQO/DQA process is based on the following guidance and requirements:

- EPA QA/G-4, 1994a, Guidance for the Data Quality Objective Process;
- EPA QA/G-9, 1998, Guidance for the Data Quality Assessment Process; Practical Methods for Data Analysis; and
- DOE Order 414.1A, 1999, Quality Assurance.

#### **4.1.1** Data Quality Assessment Process

The DQA process ensures the type, quantity, and quality of environmental data used in decision making are defensible. Results are compared to method requirements and project goals. The results of these comparisons are summarized for RFCA COCs where the result could impact project decisions. Particular attention is paid to those values near ALs when quality control (QC) results could indicate unacceptable levels of uncertainty for decision-making purposes. The DQA process is based on the following guidance and requirements:

- EPA QA/G-4, 1994a, Guidance for the Data Quality Objective Process;
- EPA QA/G-9, 1998, Guidance for the Data Quality Assessment Process; Practical Methods for Data Analysis; and
- DOE Order 414.1A, 1999, Quality Assurance.

Verification and validation (V&V) of the data are the primary components of the DQA. The final data are compared with original project DQOs and evaluated with respect to project decisions; uncertainty within the decisions; and quality criteria required for the data, specifically precision, accuracy, representativeness, completeness, comparability, and sensitivity (PARCCS). Validation criteria are consistent with the following RFETS-specific documents and industry guidelines:

- EPA 540/R-94/012, 1994b, USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review;
- EPA 540/R-94/013, 1994c, USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review; and
- Kaiser-Hill Company, L.L.C.(K-H) V&V Guidelines:

- General Guidelines for Data Verification and Validation, DA-GR01-v2, 2002a.
- V&V Guidelines for Isotopic Determinations by Alpha Spectrometry, DA-RC01-v2, 2002b.
- V&V Guidelines for Volatile Organics, DA-SS01-v3, 2002c.
- V&V Guidelines for Semivolatile Organics, DA-SS02-v3, 2002d.
- V&V Guidelines for Metals, DA-SS05-v3, 2002e.
- Lockheed-Martin, 1997, Evaluation of Radiochemical Data Usability, ES/ER/MS-5.

This report will be submitted to the Comprehensive Environmental, Response, Compensation and Liability Act (CERCLA) Administrative Record (AR) for permanent storage 30 days after being provided to the Colorado Department of Public Health and Environmental (CDPHE) and/or the U.S. Environmental Protection Agency (EPA).

#### 4.1.2 Verification and Validation of Results

Verification ensures that data produced and used by the project are documented and traceable in accordance with quality requirements. Validation consists of a technical review of all data that directly support the project decisions so that any limitations of the data relative to project goals are delineated and the associated data are qualified accordingly. The V&V process defines the criteria that constitute data quality, namely PARCCS parameters. Data traceability and archival are also addressed. V&V criteria include the following:

- Chain-of-custody;
- Preservation and hold-times;
- Instrument calibrations;
- Preparation blanks;
- Interference check samples (metals);
- Matrix spikes/matrix spike duplicates (MS/MSD);
- Laboratory control samples (LCS);
- Field duplicate measurements;
- Chemical yield (radiochemistry);
- Required quantitation limits/minimum detectable activities (sensitivity of chemical and radiochemical measurements, respectively); and
- Sample analysis and preparation methods.

Evaluation of V&V criteria ensures that PARCCS parameters are satisfactory (i.e., within tolerances acceptable to the project). Satisfactory V&V of laboratory quality controls are

captured through application of validation "flags" or qualifiers to individual records. Validation results are summarized in the "Completeness" subsection.

Field sampling was conducted according to the approved IASAP, including related SOPs and addenda. Raw hardcopy data (e.g., individual analytical data packages) are currently filed by RIN and are maintained by Kaiser-Hill Analytical Services Division (K-H ASD); older hardcopies may reside in the Federal Center in Lakewood, Colorado. Electronic data are stored in the RFETS Soil and Water Database (SWD).

Both real and QC data, as of June 11, 2003 are included on the enclosed compact disc (CD).

### 4.1.3 Accuracy

The following measures of accuracy were evaluated:

- Laboratory Control Sample Evaluation;
- Surrogate Evaluation;
- Field Blanks; and
- Sample Matrix Spike Evaluation.

#### Laboratory Control Sample Evaluation

The frequency of LCS measurements, relative to each laboratory batch, is given in Table 5. LCS frequency was adequate based on at least one LCS per batch. The minimum and maximum LCS results are also tabulated, by chemical, for the project. While not all LCS results are within tolerances, project decisions based on AL exceedances were not affected. Any qualifications of results due to LCS performance exceeding upper or lower tolerance limits are captured in the V&V flags, described in the Completeness Section.

Table 5
Laboratory Control Sample Evaluation

CAS         Analyte         Result         Minimum         Maximum         Number of Samples         Number of Batches         Up         4 Eaboratory         Assumed         Page         Sw.8           120-82-1         1.24-TRCHLOROBENZENE         LC         68         76         2         2         8w.8         1         2         8w.8         8w.8         1         2         8w.8         1         2         2         8w.8         8w.8         3         3         2         2         8w.8         8w.8         3         3         2         2         8w.8         3w.8         3w.8			Labora	itory Contr	Laboratory Control Sample Evaluation	Evaluation			
Type         Type         Samples         Batches           1.24-TRICHLOROBENZENE         LC         68         76         2         2         2           2.4-DINITROTOLUENE         LC         75         85         2         2         3         8REC           2.4-DINITROTOLUENE         LC         70         73         2         2         3         8REC           2.CHIDNITROTOLUENE         LC         69         74         2         2         3         8REC           2.CHIDNITROTOLUENE         LC         69         74         2         2         3         8REC           ACCHINAMINA         LC         91         92         2         2         3         8REC           ARRICHAM         LC         91         92         2         2         3         8REC           COBALT         LC         91         93         2         2         3         8REC           COPPER         LC         90         91         2         2         3         8REC           RON         LC         90         91         2         2         3         8REC           LEAD         LC         90<	CAS		Result	Minimum	Maximum	Number of	Number of	Unit	Test Method
1.2.4-TRICHLOROBENZENE         LC         68         76         2         9         7         %REC           2.4-DINITROTOLUENE         LC         75         85         2         2         %REC           2.4-DINITROTOLUENE         LC         70         73         2         2         %REC           2.CHLOROPHENOL         LC         69         74         2         2         %REC           ACENAPHTHENE         LC         69         74         2         2         %REC           ACENAPHTHENE         LC         92         94         2         2         %REC           ALUMINUM         LC         91         92         2         %REC           BARNIUM         LC         91         9         2         2         %REC           COPPER         LC         90         91         2         2         %REC           COPPER         LC         90         93         2         2         %REC           MANGANESE         LC         90         93         2         2         %REC           MITHULUM         LC         91         93         2         2         %REC	Number		Туре			Laboratory Samples	Laboratory Batches	•	
24-DINITROTOLUENE         LC         75         85         2         2         %REC           2-CHLOROPHENOL         LC         70         73         2         2         %REC           ACENAPHTHENE         LC         69         74         2         2         %REC           ALUMINUM         LC         92         94         2         2         %REC           ANTIMONY         LC         91         92         2         2         %REC           ARSENIC         LC         91         92         2         2         %REC           BARIUM         LC         91         92         2         2         %REC           CADMIUM         LC         90         90         2         2         %REC           CADMIUM         LC         90         90         2         2         %REC           COPPER         LC         90         91         2         2         %REC           LTHUM         LC         90         93         2         2         %REC           MOLYBDENUM         LC         90         93         1         3         %REC           NITRATE AS N         LC	120-82-1	1,2,4-TRICHLOROBENZENE	27	89	9/	2	2	%REC	SW-846 8270B
2-CHLOROPHENOL         LC         70         73         2         2         %REC           ACENAPHTHENE         LC         69         74         2         2         %REC           ALUMINUM         LC         92         94         2         2         %REC           ANTIMONY         LC         88         90         2         2         %REC           ARSENIC         LC         91         92         2         2         %REC           BARIUM         LC         91         93         2         2         %REC           BARYLIUM         LC         90         90         2         2         %REC           COBALT         LC         90         91         2         2         %REC           COPPER         LC         90         91         2         2         %REC           COPPER         LC         90         91         2         2         %REC           MOLYBDENUM         LC         90         93         1         1         %REC           MOLYBDENUM         LC         91         93         1         1         %REC           NICKEL         L	121-14-2	2,4-DINITROTOLUENE	27	75	85	2	2	%REC	SW-846 8270B
ACENAPHTHENE         LC         69         74         2         2         %REC           ALUMINUM         LC         92         94         2         2         %REC           ALUMINUM         LC         88         90         2         2         %REC           ARSENIC         LC         91         92         2         2         %REC           BARIUM         LC         93         95         2         2         %REC           BERYLLIUM         LC         90         90         2         2         %REC           COBALT         LC         90         91         2         2         %REC           COPER         LC         90         91         2         2         %REC           LEAD         LC         90         93         2         2         %REC           MONASSE         LC         90         93         1         1         %REC           MCKEL         LC         91         93         2         2         %REC           NITRATEAS N         LC         91         93         1         1         %REC           NITRITEAS N         LC         94	95-57-8	2-CHLOROPHENOL	27	70	73	2	2	%REC	SW-846 8270B
ALUMINUM         LC         92         94         2         2         %REC           ANTIMONY         LC         88         90         2         2         %REC           ARSENIC         LC         91         92         2         2         %REC           BARIUM         LC         93         95         2         2         %REC           BERYLLIUM         LC         90         90         2         2         %REC           CODALT         LC         91         93         2         2         %REC           COPER         LC         90         91         2         2         %REC           MONDER         LC         90         93         2         2         %REC           LEAD         LC         90         93         2         2         %REC           MANGANESE         LC         90         93         2         2         %REC           MANGANESE         LC         91         93         2         2         %REC           NICKEL         LC         91         93         1         1         %REC           NITRATE AS N         LC         94 <td>83-32-9</td> <td>ACENAPHTHENE</td> <td>271</td> <td>69</td> <td>74</td> <td>2</td> <td>2</td> <td>%REC</td> <td>SW-846 8270B</td>	83-32-9	ACENAPHTHENE	271	69	74	2	2	%REC	SW-846 8270B
ANTIMONY         LC         88         90         2         % REC           ARSENIC         LC         91         92         2         % REC           BARIUM         LC         93         95         2         2         % REC           BERYLLIUM         LC         90         90         2         2         % REC           CADMIUM         LC         91         93         2         2         % REC           COPEALT         LC         90         91         2         2         % REC           COPEALT         LC         90         91         2         2         % REC           MRON         LC         90         93         2         2         % REC           MRON         LC         90         93         2         2         % REC           MANGANESE         LC         91         93         1         1         % REC           MITKATE         LC         91         93         2         2         % REC           NITRATE         LC         94         95         2         2         % REC           NITRATE         LC         94         95 <t< td=""><td>7429-90-5</td><td>ALUMINUM</td><td>27</td><td>92</td><td>94</td><td>2</td><td>2</td><td>%REC</td><td>SW-846 6010/6010B</td></t<>	7429-90-5	ALUMINUM	27	92	94	2	2	%REC	SW-846 6010/6010B
ARSENIC         LC         91         92         2         2         %REC           BARIUM         LC         93         95         2         2         %REC           BERYLLIUM         LC         90         90         2         2         %REC           CADMIUM         LC         91         93         2         2         %REC           COPPER         LC         90         91         2         2         %REC           COPPER         LC         97         100         2         2         %REC           IRON         LC         97         93         2         2         %REC           LEAD         LC         97         100         2         2         %REC           LTHIUM         LC         97         93         2         2         %REC           MANGANESE         LC         91         93         2         2         %REC           NICKEL         LC         91         93         2         2         %REC           NITRATE AS N         LC         94         95         2         2         %REC           NITRATE AS N         LC         94 <td>7440-36-0</td> <td>ANTIMONY</td> <td>277</td> <td>88</td> <td>06</td> <td>2</td> <td>2</td> <td>%REC</td> <td>SW-846 6010/6010B</td>	7440-36-0	ANTIMONY	277	88	06	2	2	%REC	SW-846 6010/6010B
BARIUM         LC         93         95         2         2         %REC           BERYLLIUM         LC         90         90         2         2         %REC           CADMIUM         LC         91         93         2         2         %REC           COBALT         LC         88         90         2         2         %REC           COBALT         LC         90         91         2         2         %REC           COPER         LC         97         100         2         2         %REC           IRON         LC         90         93         2         2         %REC           MANGANESE         LC         95         100         2         2         %REC           MECURY         LC         91         93         2         2         %REC           NITRATE AS N         LC         91         93         2         2         %REC           NITRATE AS N         LC         94         95         2         2         %REC           NATIROSO-DI-N-         LC         96         96         2         2         %REC           NAMIROSO-DI-N-         LC	7440-38-2	ARSENIC	27	16	92	7	2	%REC	SW-846 6010/6010B
BERYLLIUM         LC         90         90         2         2         %REC           CADMIUM         LC         91         93         2         2         %REC           COBALT         LC         88         90         2         2         %REC           COPER         LC         90         91         2         2         %REC           IRON         LC         97         100         2         2         %REC           LEAD         LC         90         93         2         2         %REC           LITHIUM         LC         95         100         2         2         %REC           MANGANESE         LC         91         93         2         2         %REC           MERCURY         LC         91         93         1         1         %REC           NICKEL         LC         91         93         2         2         %REC           NICKEL         LC         94         95         2         2         %REC           NITRATE AS N         LC         94         95         2         2         %REC           N-NITROSO-DI-N-         LC         96	7440-39-3	BARIUM	27	93	95	2	2	%REC	SW-846 6010/6010B
CADMIUM         LC         91         93         2         2         %REC           COBALT         LC         88         90         2         2         %REC           COBALT         LC         90         91         2         %REC           IRON         LC         90         93         2         2         %REC           IRON         LC         90         93         2         2         %REC           MANGANESE         LC         91         93         2         2         %REC           MANGANESE         LC         91         93         2         2         %REC           MOLYBDENUM         LC         91         93         1         1         %REC           NICKEL         LC         91         93         2         2         %REC           NICKEL         LC         91         93         2         2         %REC           NITRATE AS N         LC         94         95         2         2         %REC           N-NITRATE AS N         LC         96         96         2         2         %REC           N-NITRATE AS N         LC         96	7440-41-7	BERYLLIUM	27	06	06	2	2	%REC	SW-846 6010/6010B
COBALT         LC         88         90         2         2         %REC           COPPER         LC         90         91         2         2         %REC           IRON         LC         97         100         2         2         %REC           LEAD         LC         90         93         2         2         %REC           LTHIUM         LC         91         93         2         2         %REC           MANGANESE         LC         91         93         1         1         %REC           MOLYBDENUM         LC         91         93         1         1         %REC           NICKEL         LC         91         93         2         2         %REC           NITRATE AS N         LC         94         95         2         2         %REC           N-NITROSO-DI-N-         LC         96         96         2         2         %REC           PROPYLAMINE         LC         70         72         7         %REC         %REC	7440-43-9	CADMIUM	27	91	93	2	2	%REC	SW-846 6010/6010B
COPPER         LC         90         91         2         2         %REC           IRON         LC         97         100         2         2         %REC           LEAD         LC         90         93         2         2         %REC           LITHIUM         LC         91         93         2         2         %REC           MANGANESE         LC         91         93         2         2         %REC           MOLYBDENUM         LC         91         93         2         2         %REC           NICKEL         LC         91         93         2         2         %REC           NICKEL         LC         91         93         2         2         %REC           NICKEL         LC         91         93         2         2         %REC           NITRATE AS N         LC         94         95         2         2         %REC           N-NITROSO-DI-N-         LC         70         72         2         %REC           PROPYLAMINE         LC         70         7         7         7         7         7         7         7         7         7	7440-48-4	COBALT	CC	88	06	2	2	%REC	SW-846 6010/6010B
IRON         LC         97         100         2         2         %REC           LEAD         LC         90         93         2         2         %REC           LITHIUM         LC         95         100         2         2         %REC           MANGANESE         LC         91         93         2         2         %REC           MOLYBDENUM         LC         87         90         2         2         %REC           NICKEL         LC         91         93         2         2         %REC           NICKEL         LC         94         95         2         %REC           NITRATE AS N         LC         94         96         2         2         %REC           NITRITE AS N         LC         96         96         2         2         %REC           N-NITROSO-DI-N-         LC         70         72         2         %REC           PROPYLAMINE         LC         70         72         7         %REC	7440-50-8	COPPER	CC	06	16	2	7	%REC	SW-846 6010/6010B
LEAD         LC         90         93         2         2         %REC           LITHIUM         LC         95         100         2         2         %REC           MANGANESE         LC         91         93         2         2         %REC           MECURY         LC         93         93         1         1         %REC           MOLYBDENUM         LC         87         90         2         2         %REC           NICKEL         LC         91         93         2         2         %REC           NITRATE AS N         LC         94         95         2         2         %REC           N-NITROSO-DI-N-         LC         96         96         2         2         %REC           N-NITROSO-DI-N-         LC         70         72         2         %REC           PROPYLAMINE         LC         70         72         8REC         8REC	7439-89-6	IRON	27	76	001	2	7	%REC	SW-846 6010/6010B
LITHIUM         LC         95         100         2         2         %REC           MANGANESE         LC         91         93         2         2         %REC           MERCURY         LC         93         93         1         1         %REC           MOLYBDENUM         LC         87         90         2         2         %REC           NICKEL         LC         91         93         2         2         %REC           NITRATE AS N         LC         94         95         2         2         %REC           NITRITE AS N         LC         96         96         2         2         %REC           N-NITROSO-DI-N-         LC         70         72         2         %REC           PROPYLAMINE         LC         70         72         2         %REC	7439-92-1	LEAD	2	06	93	2	2	%REC	SW-846 6010/6010B
MANGANESE         LC         91         93         2         2         %REC           MERCURY         LC         93         93         1         1         %REC           MOLYBDENUM         LC         87         90         2         2         %REC           NICKEL         LC         91         93         2         2         %REC           NITRATE AS N         LC         94         95         2         2         %REC           NITRITE AS N         LC         96         96         2         2         %REC           N-NITROSO-DI-N-         LC         70         72         2         %REC           PROPYLAMINE         LC         70         72         2         %REC	7439-93-2	LITHIUM	27	95	001	2	7	%REC	SW-846 6010/6010B
MERCURY         LC         93         93         1         1         %REC           MOLYBDENUM         LC         87         90         2         2         %REC           NICKEL         LC         91         93         2         2         %REC           NITRATE AS N         LC         94         95         2         2         %REC           NITRITE AS N         LC         96         96         2         2         %REC           N-NITROSO-DI-N-         LC         70         72         2         %REC           PROPYLAMINE         LC         70         72         2         %REC	7439-96-5	MANGANESE	27	16	93	2	2	%REC	SW-846 6010/6010B
MOLYBDENUM         LC         87         90         2         2         %REC           NICKEL         LC         91         93         2         2         %REC           NITRATE AS N         LC         94         95         2         2         %REC           NITRITE AS N         LC         96         96         2         2         %REC           N-NITROSO-DI-N-         LC         70         72         2         2         %REC           PROPYLAMINE         LC         70         72         2         7         %REC	7439-97-6	MERCURY	27	93	93		_	%REC	SW-846 6010/6010B
NICKEL         LC         91         93         2         2         %REC           NITRATE AS N         LC         94         95         2         2         %REC           NITRITE AS N         LC         96         96         2         2         %REC           N-NITROSO-DI-N-         LC         70         72         2         %REC           PROPYLAMINE         L         70         72         2         %REC	7439-98-7	MOLYBDENUM	27	87	06	2	2	%REC	SW-846 6010/6010B
NITRATE AS N         LC         94         95         2         2         %REC           NITRITE AS N         LC         96         2         2         %REC           N-NITROSO-DI-N-         LC         70         72         2         %REC           PROPYLAMINE         L         70         72         2         %REC	7440-02-0	NICKEL	CC	16	93	2	2	%REC	SW-846 6010/6010B
NITRITE AS N         LC         96         2         2         %REC           N-NITROSO-DI-N-         LC         70         72         2         %REC           PROPYLAMINE         2         2         %REC	14797-55-8	NITRATE AS N	TC	94	95	2	2	%REC	SW9056 OR E300.0 PREP E300.0
N-NITROSO-DI-N-         LC         70         72         2         2         %REC           PROPYLAMINE         2         2         %REC         3         2         4	14797-65-0	NITRITE AS N	LC	96	96	2	2	%REC	SW9056 OR E300.0 PREP E300.0
	621-64-7	N-NITROSO-DI-N- PROPYLAMINE	LC	70	72	2	2	%REC	SW-846 8270B

Table 5
Laboratory Control Sample Evaluation

			, J	J				
CAS	Analyte	Result	Minimum	Maximum	Number of	Minimum   Maximum   Number of   Number of	Unit	Test Method
Number		Type			Laboratory Samples	Laboratory Ratches		
106-46-7	106-46-7 P-DICHLOROBENZENE	CC	89	73	- 5	7	%REC	SW-846 8270B
87-86-5	PENTACHLOROPHENOL	CC	99	70	2	2	%REC	SW-846 8270B
108-95-2	PHENOL	CC	70	7.5	2	2	%REC	SW-846 8270B
100-02-7	100-02-7 P-NITROPHENOL	27	62	99	2	c1	%REC	SW-846 8270B
129-00-0 PYRENE	PYRENE	TC	63	72	2	2 .	%REC	SW-846 8270B
7782-49-2	7782-49-2 SELENIUM	27	68	93	2	6	%REC	SW-846 6010/6010B
7440-22-4 SILVER	SILVER	27	92	93	2	2	%REC	SW-846 6010/6010B
7440-24-6	7440-24-6 STRONTIUM	CC	92	94	2	2	%REC	SW-846 6010/6010B
7440-31-5 TIN	NIT	CC	88	68	2	2	%REC	SW-846 6010/6010B
7440-62-2	7440-62-2 VANADIUM	27	06	16	2	2	%REC	SW-846 6010/6010B
7440-66-6 ZINC	ZINC	CC	06	95	2	7	%REC	SW-846 6010/6010B

Table 6

Surrogate Recovery Summary

	Court Space Stock (St.)	, J. C.		
<b>VOC Surrogate Recoveries</b>	reries			
Number of Samples	Analyte	Minimum	Maximum	Unit Code
2	1,2-DICHLOROETHANE-D4	06	94	%REC
2	4-BROMOFLUOROBENZENE	94	95	%REC
2	TOLUENE-D8	95	95	%REC
SVOC Surrogate Recoveries	overies			
Number of Samples	Analyte	Minimum	Maximum	Unit Code
12	TERPHENYL-D14	69	88	%REC
12	2-FLUOROBIPHENYL	65	83	%REC
12	2-FLUOROPHENOL	09	79	%REC
12	NITROBENZENE-D5	65	79	%REC

#### Surrogate Evaluation

The frequency of surrogate measurements, relative to each laboratory batch, is given in Table 6. Surrogate frequency was adequate based on at least one set per sample. The minimum and maximum surrogate results are tabulated by chemical for the entire project. Any qualifications of results due to surrogate results are captured in the V&V flags, described in the Completeness Section.

#### Field Blank Evaluation

Results of the field blank analyses are listed in Table 7. Detectable amounts of contaminants within field or laboratory blanks could indicate cross-contamination of samples. However, none of the chemicals detected in laboratory blanks were detected in real samples with concentrations exceeding ALs; therefore, no significant laboratory blank contamination is indicated. Field blanks were not collected for this project. Consequently, all detectable concentrations of arsenic and lead are considered present at the sampling locations, and not due to cross-contamination.

Table 7
Field Blank Summary

Sample QC Code	Test Method Name	Analyte	Maximum Detected Value	Unit
RB	GAMMA	Uranium-235	0.2	pCi/g
RB	GAMMA	Uranium-238	4	pCi/g
FB	SW8260B	Toluene	2	ug/L
RB	SW8260B	Toluene	0.3	ug/L
FB	SW8260B	2-Butanone	4	ug/L
FB	SW8260B	Naphthalene	0.8	ug/L
Field Blanks (Trip, Rinse	e, Field) results greater than	n detection limits	(not *U* Qualified)	

## Sample Matrix Spike Evaluation

The frequency of MS measurements, relative to each laboratory batch, was adequate based on at least one MS per batch. The minimum and maximum of MS results are summarized by chemical, for the entire project in Table 8. Although low recovery values may indicate negative bias for some analytes, recovery values alone do not result in rejection of results. Qualification of results because of out of tolerance spike recoveries is noted by electronic flagging of the results.

Table 8

		Sam		Spike Eva	luation			
CAS Number	Analyte	Result Type			Number of	Number of Laboratory Batches	Unit	Test Method
120-82-1	1,2,4-TRICHLOROBENZENE	MS	62	68	2	2	%REC	SW-846 8270B
121-14-2	2,4-DINITROTOLUENE	MS	70	85	2	2	%REC	SW-846 8270B
95-57-8	2-CHLOROPHENOL	MS	64	70	2	2	%REC	SW-846 8270B
83-32-9	ACENAPHTHENE	MS	64	75	2	2	%REC	SW-846 8270B
7429-90-5	ALUMINUM	MS	98	314	3	3	%REC	SW-846 6010/6010B
7440-36-0	ANTIMONY	MS	35	97	3	3	%REC	SW-846 6010/6010B
7440-38-2	ARSENIC	MS	91	97	3	3	%REC	SW-846 6010/6010B
7440-39-3	BARIUM	MS	102	103	3	3	%REC	SW-846 6010/6010B
7440-41-7	BERYLLIUM	MS	91	97	3	3	%REC	SW-846 6010/6010B
7440-43-9	CADMIUM	MS	90	100	3	3	%REC	SW-846 6010/6010B
7440-48-4	COBALT	MS	88	97	3	3	%REC	7440-48-4
7440-50-8	COPPER	MS	97	108	3	3	%REC	7440-50-8
7439-89-6	IRON	MS	102	672	3	3	%REC	7439-89-6
7439-92-1	LEAD	MS	94	99	3	3	%REC	7439-92-1
7439-93-2	LITHIUM	MS	100	105	3	3	%REC	7439-93-2
7439-96-5	MANGANESE	MS	98	100	3 .	3	%REC	7439-96-5
7439-97-6	MERCURY	MS	48	48	1	1	%REC	7439-97-6
7439-98-7	MOLYBDENUM	MS	83	98	3	3	%REC	7439-98-7
7440-02-0	NICKEL	MS	98	117	3	3	%REC	7440-02-0
14797-55-8	NITRATE AS N	MS	94	94	1	1	%REC	14797-55-8
14797-55-8	NITRATE AS N	MS	89	89	I	1	%REC	14797-55-8
14797-65-0	NITRITE AS N	MS	100	100	1	1	%REC	14797-65-0
14797-65-0	NITRITE AS N	MS	91	91	1	1	%REC	14797-65-0
621-64-7	N-NITROSO-DI-N- PROPYLAMINE	MS	63	67	2	2	%REC	621-64-7
106-46-7	P-DICHLOROBENZENE	MS	60	65	2	2	%REC	106-46-7
87-86-5	PENTACHLOROPHENOL	MS	52	52	2	2	%REC	87-86-5
108-95-2	PHENOL	MS	64	71	2	2	%REC	108-95-2
100-02-7	P-NITROPHENOL	MS	60	61	2	2	%REC	100-02-7
129-00-0	PYRENE	MS	65	76	2	2	%REC	129-00-0
7782-49-2	SELENIUM	MS	90	96	3	3	%REC	7782-49-2
7440-22-4	SILVER	MS	90	102	3	3	%REC	7440-22-4
7440-24-6	STRONTIUM	MS	99	101	3	3	%REC	7440-24-6
7440-31-5	TIN	MS	85	97	3	3	%REC	7440-31-5
7440-62-2	VANADIUM	MS	100	121	3	3	%REC	7440-62-2
7440-66-6	ZINC	MS	78	98	3	3	%REC	7440-66-6

#### 4.1.4 Precision

### Matrix Spike Duplicate Evaluation

Laboratory precision is measured through use of MSD. Adequate frequency of MSD measurements is indicated by at least one MSD in each laboratory batch. Although some RPD values, listed in Table 9, exceed the maximum target of 35 percent, all sample results were repeatable at concentrations well below their respective ALs.

Table 9
Sample Matrix Spike Duplicate Evaluation

Analyte Name	Number of	Number of	Max RPD
Times to Time	Sample Pairs	Laboratory Batches	(percent)
1,2,4-TRICHLOROBENZENE	2	2	8
2,4-DINITROTOLUENE	2	2	8
2-CHLOROPHENOL	2	2	8
ACENAPHTHENE	2	2	5
ALUMINUM	3	3	3
ANTIMONY	3	3	1
ARSENIC	3	3	7
BARIUM	3	3	9
BERYLLIUM	3	3	6
CADMIUM	3	3	6
CADMIUM	3	3	6
COBALT	3	3	7
COPPER	3	3 /	25
IRON	3	3	98
LEAD	3	3	121
LITHIUM	3	3	7
MANGANESE	3	3	43
MERCURY	1	1	33
MOLYBDENUM	3	3	6
NICKEL	3	3	75
NITRATE AS N	1	1	1
NITRATE AS N	1	I	5
NITRITE AS N	1	1	1
NITRITE AS N	1	1	4
N-NITROSO-DI-N-PROPYLAMINE	2	2	9
P-DICHLOROBENZENE	2	2	7
PENTACHLOROPHENOL	2	2	7
PHENOL	2	2	11
P-NITROPHENOL	2	2	5
PYRENE	2	2	3
SELENIUM	3	3	5
SILVER	3	3	7
STRONTIUM	3	3	11
TIN	3	3	6
VANADIUM	3	3	10
ZINC	3	3	12

# Field Duplicate Evaluation

Field duplicate results reflect sampling precision or overall repeatability of the sampling process. The frequency of field duplicate collection should exceed 1 field duplicate per 20 real samples, or 5 percent. Data in Table 10 indicates that duplicate sampling frequencies were adequate for all suites except radionuclides.

A common metric for evaluating precision is the relative percent difference (RPD) value; RPD values are given in Table 11. Ideally, RPDs of less than 35 percent (in soil) indicate satisfactory precision. If contaminant concentrations exceeded ALs and the 35% RPD value, then associated results were reviewed to determine if the magnitude of imprecision could impact decisions (i.e., could sample concentrations measured below ALs exceed AL?).

Table 10
Field Duplicate Sample Frequency

Test Method Name	Sample Code	Number of Samples	Percent of Duplicate Samples
GAMMA SPECTROSCOPY	REAL	6	0
SW-846 6010/6010B	REAL	6	17
SW-846 6010/6010B	DUP	1	
SW-846 8270B	REAL	6	17
SW-846 8270B	DUP	1	
SW9056 OR E300.0 PREP E300.0	REAL	6	17
SW9056 OR E300.0 PREP E300.0	DUP	1	

Table 11
RPD Evaluation

Analyte	Max of RPD (percent)
1,2,4-TRICHLOROBENZENE	0
2,4,5-TRICHLOROPHENOL	0
2,4,6-TRICHLOROPHENOL	0
2,4-DICHLOROPHENOL	0
2,4-DIMETHYLPHENOL	0
2,4-DINITROPHENOL	0
2,4-DINITROTOLUENE	0
2,6-DINITROTOLUENE	0
2-CHLORONAPHTHALENE	0
2-CHLOROPHENOL	0
2-NITROANILINE	0
4-CHLOROANILINE	0
ACENAPHTHENE	0
ALUMINUM	2
ANTHRACENE	0
ANTIMONY	26
ARSENIC	8
BARIUM	5
BENZO(A)ANTHRACENE	37
BENZO(A)PYRENE	24
BENZO(B)FLUORANTHENE	19
BENZO(K)FLUORANTHENE	42

Table 11
RPD Evaluation

RPD Evaluation	136 0000
Analyte	Max of RPD
DENZOIG A CID	(percent)
BENZOIC ACID	0
BERYLLIUM	29
BIS(2-ETHYLHEXYL)PHTHALATE	162
BUTYLBENZYLPHTHALATE	0
CHRYSENE	33
COBALT	2
COPPER	49
DIBENZ(A,H)ANTHRACENE	0
DIBENZOFURAN	0
FLUORANTHENE	29
FLUORENE	0
HEXACHLOROBENZENE	0
HEXACHLOROBUTADIENE	0
HEXACHLOROCYCLOPENTADIENE	1
HEXACHLOROETHANE	0
INDENO(1,2,3-CD)PYRENE	20
IRON	17
ISOPHORONE	0
LEAD	57
LITHIUM	6
MANGANESE	4
MERCURY	30
MOLYBDENUM	108
NAPHTHALENE	0
NICKEL	3
NITROBENZENE	0
N-NITROSODIPHENYLAMINE	0
PENTACHLOROPHENOL	0
PHENOL	0
PYRENE	37
SELENIUM	2
SILVER	0
STRONTIUM	21
TIN	34
VANADIUM	3
ZINC	2
	l

## 4.1.5 Completeness

Based on original project DQOs, a minimum of 25 percent of ER Program analytical (and radiological) results must be formally verified and validated. Of that percentage, no more than 10 percent of the results may be rejected, which ensures that analytical laboratory practices are consistent with quality requirements. Table 12 shows the number and percentage of validated records (codes without "1"), the number and percentage of verified records (codes with "1"), and the percentage of rejected records for each analyte group. The frequency of validation is within

project quality requirements for all suites except radionuclides. A check of hardcopy V&V records indicates that validation frequency is better than the minimum of 25 percent for both alpha and gamma spectroscopy, but the associated validation flags have not yet been uploaded to electronic records in the Soil Water Database (SWD). Following upload of the V&V flags to SWD, the validation frequency of electronic records will be acceptable.

The frequency of validation is in compliance with the RFETS validation goal of 25 percent of all analytical records indicating that these data are adequate.

Table 12 Validation and Verification Summary

Validation Code	Number of Records	Radionuclides	Metals	Inorganics
V&V	185	119	0	0
J	81	0	81	0
V	514	0	105	12
Total	780	119	186	12
Total Validated	595	0	186	12
Percent Validated	76%	0%	100%	100%
Total Verified	0%	0%	0%	0%
Percent Verified	0%	0%	0%	0%
Percent Rejected	0%	0%	0%	0%

KEY:

1, V1 - Verified

J, J1 - Estimated

UJ1 - Estimated detection limit

V - Validated

#### 4.1.6 Sensitivity

Reporting limits, in units of ug/kg for organics, mg/kg for metals, and pCi/g for radionuclides, were compared with RFCA WRW and Ecological Receptor ALs. Adequate sensitivities of analytical methods were attained for all COCs that affect project decisions. "Adequate" sensitivity is defined as a reporting limit less than an analyte's associated AL, typically less than one-half the AL.

#### 4.1.7 Summary of Data Quality

The RPDs greater than 35 percent indicate that the sampling precision limits of some analytes have been exceeded. However, the imprecision does not affect project decisions because with the exception of lead exceeding the Ecological Receptor AL but below background, there were no AL exceedances and no records were rejected. Compliance with the project quality requirements and RFETS validation goal of 25 percent of all analytical records indicates that these data are adequate. If additional V&V information is received, IHSS Group 900-4&5 records will be updated in SWD. Data qualified as a result of additional data will be assessed as part of the Comprehensive Risk Assessment process.

Data collected and used for IHSS Group 900-4&5 are adequate for decision-making.

#### 5.0 REFERENCES

DOE, 1992-2001, Historical Release Reports for the Rocky Flats Plant, Rocky Flats Plant, Golden, Colorado.

DOE, 1999, Order 414.1A, Quality Assurance.

DOE, 2000, Rocky Flats Cleanup Agreement (RFCA), Attachment 5, March.

DOE, 2001, Industrial Area Sampling and Analysis Plan, Rocky Flats Environmental Technology Site, Golden, Colorado, June.

DOE, 2002a, Industrial Area Sampling and Analysis Plan Addendum #IA-02-02, Rocky Flats Environmental Technology Site, Golden, Colorado, January.

DOE, 2002b, Environmental Restoration RFCA Standard Operating Protocol for Routine Soil Remediation, Rocky Flats Environmental Technology Site, Golden, Colorado, January.

EPA QA/G-4, 1994a, Guidance for the Data Quality Objective Process.

EPA 540/R-94/012, 1994b, USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review.

EPA 540/R-94/013, 1994c, USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review.

EPA QA/G-9, 1998, Guidance for the Data Quality Assessment Process; Practical Methods for Data Analysis.

Kaiser-Hill (K-H), 2002a, General Guidelines for Data Verification and Validation, DA-GR01-v2, October.

K-H, 2002b, V&V Guidelines for Isotopic Determinations by Alpha Spectrometry, DA-RC01-v2, October.

K-H, 2002c, V&V Guidelines for Volatile Organics, DA-SS01-v3, October.

K-H, 2002d, V&V Guidelines for Semivolatile Organics, DA-SS02-v3, October.

K-H, 2003e, V&V Guidelines for Metals, DA-SS05-v3, October.

Lockheed-Martin, 1997, Evaluation of Radiochemical Data Usability, ES/ER/MS-5.

# APPENDIX A

WILDLIFE REFUGE WORKER/ECOLOGICAL RECEPTOR ACTION LEVEL COMPARISON TABLE

TOBL Appendix A
Worker/Ecological Recentor Action Level Com


	Wildlife Keruge	Worker/E	cological k	seceptor A	ction Le	Worker/Ecological Receptor Action Level Comparison Table	on Table		
Location	Analyte	Soil Begin	Soil End	Result	RL/DL	Wildlife Refuge	Ecological	Background	Unit
		Depth (feet)	Depth (feet)			Worker Action Level	Receptor Action Level	Mean+2SD	
CK43-000	Benzo(a)anthracene	0	0.5	100	40	34900	800,000	NA	ug/kg
CK43-000	Benzo(a)pyrene	0	0.5	140	62	3490	25,700	NA	ug/kg
CK43-000	Benzo(b)fluoranthene	0	0.5	130	100	34900	1,010,000	NA	ug/kg
CK43-000	Benzo(k)Fluoranthene	0	0.5	150	96	349000	1,010,000	NA	ug/kg
CK43-000	Bis(2-ethylhexyl)phthalate	0	0.5	82	71	1970000		NA	ug/kg
CK43-000	Chromium (total)	0	0.5	901	0.36	AN	The state of the s	16.99	mg/kg
CK43-000	Chrysene	0	0.5	150	55	3490000		AN	ug/kg
CK43-000	Copper	0	0.5	31.9	0.19	40900		18.06	mg/kg
CK43-000	Fluoranthene	0	0.5	330	87	27200000	1	ΥZ	ug/kg
CK43-000	Indeno(1,2,3-cd)pyrene	0	0.5	73	46	34900		AN	ug/kg
CK43-000	Nickel	0	0.5	6.79	0.44	20400		14.91	mg/kg
CK43-000	Pyrene	0	0.5	290	41	22100000		NA	ug/kg
CK43-000	Zinc	0	0.5	171	0.59	307000		73.76	mg/kg
CK43-000	Benzo(a)anthracene	0	0.5	180	41	34900	800,000	NA	ug/kg
CK43-001	Benzo(a)pyrene	0	0.5	230	66	3490	25,700	NA	ug/kg
CK43-001	Benzo(b)fluoranthene	0	0.5	240	110	34900	1,010,000	NA	ug/kg
CK43-001	Benzo(k)Fluoranthene	0	0.5	230	86	349000	1,010,000	NA	ug/kg
CK43-001	Bis(2-ethylhexyl)phthalate	0	0.5	75	73	1970000		NA	ug/kg
CK43-001	Chromium (total)	0	0.5	40.3	0.35	NA		16.99	mg/kg
CK43-001	Chrysene	0	0.5	790	56	3490000	1	NA	ug/kg
CK43-001	Copper	0	0.5	28.1	0.18	40900		18.06	mg/kg
CK43-001	Dimethyl phthalate	0	0.5	110	68	10000000000	1	NA	ug/kg
CK43-001	Fluoranthene	0	0.5	550	88	27200000		NA	ug/kg
CK43-001	Indeno(1,2,3-cd)pyrene	0	0.5	150	50	34900		NA	ug/kg
CK43-001	Nickel	0	0.5	30.5	0.43	20400		14.91	mg/kg
CK43-001	Pyrene	0	0.5	470	42	22100000		NA	ug/kg
CK43-001	Zinc	0	0.5	6.96	0.57	307000		73.76	mg/kg
CK43-002	Benzo(a)anthracene	0	0.5	210	40	34900	800,000	NA	ug/kg

Appendix A Wildlife Refuse Worker/Ecological Recentor Action Level Comparison Table

Location	Analyte	Soil Begin	Soil End	Result	RL/DL	Wildlife Refuge	Ecological	Background	Unit
		Depth	Depth			Worker	Receptor	Mean+2SD	•
		(feet)	(feet)			Action Level	Action Level		
CK43-002	Benzo(a)pyrene	0	0.5	240	96	3490	25,700	NA	ug/kg
CK43-002	Benzo(b)fluoranthene	0	0.5	230	100	34900	1,010,000	NA	ug/kg
CK43-002	Benzo (K) Fluoranthene	0	0.5	240	95	349000	1,010,000	NA	ug/kg
CK43-002	Bis(2-ethylhexyl)phthalate	0	0.5	310	70	1970000	**********	NA	ug/kg
CK43-002	Chromium (total)	0	0.5	102	0.36	NA		16.99	mg/kg
CK43-002	Chrysene	0	0.5	260	54	3490000		NA	ug/kg
CK43-002	Copper	0	0.5	74.4	0.18	40900	and the same of th	18.06	mg/kg
CK43-002	Dibenz(a,h)anthracene	0	0.5	64	48	3490		NA	ug/kg
CK43-002	Dimethyl phthalate	0	0.5	320	98	10000000000	and the same	NA	ug/kg
CK43-002	Fluoranthene	0	0.5	540	85	27200000	-	NA	ug/kg
CK43-002	Indeno(1,2,3-cd)pyrene	0	0.5	160	46	34900		NA	ug/kg
CK43-002	Nickel	0	0.5	69.3	0.44	20400		14.91	mg/kg
CK43-002	Pyrene	0	0.5	500	41	22100000		NA	ug/kg
CK43-002	Zinc	0	0.5	172	0.58	307000	1	73.76	mg/kg
CL43-000	Benzo(a)anthracene	0	0.5	44	40	34900	800,000	NA	ug/kg
CL43-000	Bis(2-ethylhexyl)phthalate	0	0.5	9700	140	1970000	-	NA	ug/kg
CL43-000	Chromium (total)	0	0.5	34.4	0.35	NA		16.99	mg/kg
CL43-000	Chrysene	0	0.5	58	54	3490000	-	NA	ug/kg
CL43-000	Copper	0	0.5	19.5	0.18	40900	· ·	18.06	mg/kg
CL43-000	Fluoranthene	0	0.5	120	86	27200000		NA	ug/kg
CL43-000	Nickel	0	0.5	20.2	0.43	20400	-	14.91	mg/kg
CL43-000	Pyrene	0	0.5	100	41	22100000		NA	ug/kg
CL43-000	Pyrene	0	0.5	100	82	22100000		NA	ug/kg
CL43-000	Zinc	0	0.5	9.08	0.57	307000		73.76	mg/kg
CL43-001	Benzo(a)anthracene	0	0.5	310	39	34900	800,000	NA	ug/kg
CL43-001	Benzo(a)pyrene	0	0.5	270	95	3490	25,700	NA	ug/kg
CL43-001	Benzo(b)fluoranthene	0	0.5	240	100	34900	1,010,000	NA	ug/kg
CL43-001	Benzo (K) Fluoranthene	0	0.5	290	94	349000	1,010,000	AN	ug/kg

Appendix A Worker/Ecological Receptor Action Level Comparison Table

Location	Analyte	· V	il Regin   Soil End   Result		RI /III	RI/DI Wildlife Refuge Reglecti	Frological	Rackaround	Unit
		Depth (feet)	Depth (feet)			Worker Action Level	Receptor Action Level	Mean+2SD	
CL43-001	Bis(2-ethylhexyl)phthalate	0	0.5	100	70	1970000	1	NA	ug/kg
CL43-001	Chromium (total)	0	0.5	114	0.35	NA		16.99	mg/kg
CL43-001	Chrysene	0	0.5	390	54	3490000	-	NA	ug/kg
CL43-001	Copper	0	0.5	36.6	0.18	40900		18.06	mg/kg
CL43-001	Fluoranthene	0	0.5	069	85	27200000		NA	ug/kg
CL43-001	Indeno(1,2,3-cd)pyrene	0	0.5	150	49	34900	a plantame	NA	ug/kg
CL43-001	Iron	0	0.5	18900	9.1	307000	***************************************	18037	mg/kg
CL43-001	Lithium	0	0.5	11.6	0.24	20400	***************************************	11.55	mg/kg
CL43-001	Nicke]	0	0.5	69.7	0.43	20400		14.91	mg/kg
CL43-001	Pyrene	0	0.5	069	40	22100000	-	NA	ug/kg
CL43-001	Zinc	0	0.5	80.5	0.58	307000		73.76	mg/kg
CL43-002	Benzo(a)anthracene	0	0.5	160	41	34900	800,000	NA	ug/kg
CL43-002	Benzo(a)pyrene	0	0.5	190	86	3490	25,700	NA	ug/kg
CL43-002	Benzo(b)fluoranthene	0	0.5	170	100	34900	1,010,000	NA	ug/kg
CL43-002	Benzo (K) Fluoranthene	0	0.5	200	26	349000	1,010,000	NA	ug/kg
CL43-002	Bis(2-ethylhexyl)phthalate	0	0.5	1600	7.1	1970000	-	NA	ug/kg
CL43-002	Chromium (total)	0	0.5	28.2	0.36	NA		16.99	mg/kg
CL43-002	Chrysene	0	0.5	210	55	3490000		NA	ug/kg
CL43-002	Copper	0	0.5	31.5	0.19	40900		18.06	mg/kg
CL43-002	Fluoranthene	0	0.5	440	87	27200000		NA	ug/kg
CL43-002	Indeno(1,2,3-cd)pyrene	0	0.5	110	50	34900		NA	ug/kg
CL43-002	Lithium	0	0.5	11.8	0.25	20400	***************************************	11.55	mg/kg
CL43-002	Nickel	0	0.5	23.8	0.45	20400		14.91	mg/kg
CL43-002	Pyrene	0	0.5	450	42	22100000		NA	ug/kg
CL43-002	Strontium	0	0.5	63.2	0.016	613000		48.94	mg/kg



 $\label{lem:continuous} Ima. 3 \ensuremath{\mbox{TL}} \ensuremath{\mbox{Endist}} \ensuremath{\mbox{Supplies}} \ensuremath{\mbox{Sup$ 

Best Available Copy

